



## SafCider™ TF-6



ACTIVE  
DRY YEAST

### TO MAXIMIZE THE FRUITINESS OF YOUR CIDER

#### Ingredients:

Yeast (*Saccharomyces cerevisiae*\*), Emulsifier: sorbitan monostearate (E/INS 491)

#### Usage recommendations:

- For **sweet ciders** from fresh apple juices.
- **Very high aromatic intensity and complexity towards fresh fruity notes (apple, banana-pear, red, citrus and exotic fruits) combined with interesting elaborated fruit notes (applesauce).** *Please note that those observations are based on French cider recipe trials.*
- **Sweet and round mouthfeel strengthening candy like sensation.**

#### Technical characteristics:

- **Regular slow kinetic**
- **Broad fermentation temperature spectrum: 10-30°C (50-86°F), ideally 15-25°C (59-77°F).**
- **High nitrogen requirements: Ratio YAN\*\*(mg/L)/Sugar(g/L) > 0.9**
- Medium assimilation of fructose
- Maximum initial SO<sub>2</sub> level recommended: 50mg/L. **Very low production of acetaldehyde and SO<sub>2</sub>.**
- **High malic acid consumption (up to 1.4g/L– 0.18 oz/gal)**
- Medium 2-phenylethanol and **very high isoamyl acetate (candy-banana) producer**

#### Dosage:

20 to 40 g/hl – 0,026 to 0,053 oz/gal for first fermentation

\* According to « The Yeasts, A Taxonomic Study » 5<sup>th</sup> edition, C.P. Kurtzman and J.W. Fell, 2011.

\*\*YAN = Yeast Available Nitrogen



THE OBVIOUS CHOICE FOR BEVERAGE FERMENTATION



## Rehydration procedure:



Lesaffre know-how and continuous yeast production process improvement generates an **exceptional quality of dry yeasts able to resist to a very wide range of uses, incl. cold or no rehydration conditions, without affecting their viability, kinetic and/or analytical profile.** Choose usage conditions that fit the best your needs:

### Direct inoculation

Pour the yeast on the surface of **at least 10 times their weight of must** (possibly directly on the top of the tank or during tank filling after clarification). Gently stir to avoid or break clumps. **Immediately transfer into the tank via a pumping over with aeration** (or homogenize tank volume).

### With prior rehydration

Pour the yeast on the surface of **10 times their weight of tap water at room temperature.** Gently stir to avoid or break clumps. **Wait for 20 minutes and transfer into the tank via a pumping over with aeration.**

## Packaging:

Box of 160 controlled atmosphere packed sachets of 5g - 0.17oz each (Full box net weight: 800g – 28.22oz)

Carton of 20 vacuum-packed sachets of 500g – 17.63oz each (Full box net weight: 10 kg - 352.74oz)

Carton of 1 vacuum-packed box of 10 Kg (Full box net weight: 10 kg - 352.74oz)

## Storage:

When storing for 6 months or less: the product must be stored under 25°C (77°F). To store more than 6 months: the product must be stored under 15°C (59.0°F). For a short period not exceeding 7 days, simply store in a cool, dry place.

## Shelf life:

48 months from production date. Refer to "best before" date printed on the sachet. Opened sachets must be sealed and stored at 4°C (39°F) or lower and used within 7 days of opening. Do not use soft or damaged sachets.



THE OBVIOUS CHOICE FOR BEVERAGE FERMENTATION